



NOTES:

- ① EXCAVATION/DRILLING/BORING/DRIVING/TRENCHING WITHIN LEVEE CROWN & BOTH THE WATERSIDE & LANDSIDE LEVEE SLOPES IS PROHIBITED
- ② PLANTING OF UNAPPROVED TREES/SHRUBS WITHIN LEVEE CROWN & BOTH THE WATERSIDE & LANDSIDE LEVEE SLOPES IS PROHIBITED
- ③ EXCAVATION/DRILLING/BORING/DRIVING/TRENCHING WITHIN TEN FEET (10'-0") OF THE LANDSIDE LEVEE TOE IS PROHIBITED
- ④ PLANTING OF UNAPPROVED TREES/SHRUBS WITHIN TEN FEET (10'-0") OF THE LANDSIDE LEVEE TOE IS PROHIBITED
- ⑤ ALL CONDUIT SHALL BE PLACED ON TOP OF UNDISTURBED LEVEE SOIL WITH SUFFICIENT EARTHEN COVER TO THE SATISFACTION OF THE RECLAMATION DISTRICT ENGINEER. WATER LINES SHALL HAVE A SHUT-OFF VALVE LOCATED TO THE SATISFACTION OF THE RECLAMATION DISTRICT ENGINEER
- ⑥ ELECTRICAL CONDUIT SHALL BE FLAGGED & MARKED TO THE SATISFACTION OF THE RECLAMATION DISTRICT ENGINEER
- ⑦ PLACEMENT OF CONDUIT ON/ACROSS/ALONG/THROUGH LEVEE CROWN IS SUBJECT TO REVIEW & APPROVAL BY THE RECLAMATION DISTRICT ENGINEER

**BY AUTHORITY OF: CALIFORNIA CODE OF REGULATIONS – TITLE 23. WATERS – DIVISION 1. CENTRAL VALLEY FLOOD PROTECTION BOARD**

**RD  
799**

**LEVEE IMPACT RESTRICTIONS FOR PROPOSED IMPROVEMENTS - ALL ENCROACHMENTS ARE SUBJECT TO DISTRICT REVIEW**

RD 799 – LEVEE IMPACT GUIDANCE DOCUMENT

DATE	April 2011
FIGURE	1